UNITED STATES
DEPARTMENT OF AGRICULTURE
WEATHER BUREAU

MONTHLY WEATHER REVIEW

VOLUME 63

1935

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1936

NOTICE

The Weather Bureau desires that the MONTHLY WEATHER REVIEW shall be a medium of contributions within its field, but such publication is not to be construed as official approval of the views expressed.

Science Lib
Prof. Ralph L. Belknap
Prof. Wm. H. Hobbs
Prof. Emeritus D. Denoo
4-14-42
v. 63 no 1-12

TABLE OF CONTENTS

The following synoptic table shows the first page of each of the principal sections in the respective numbers of the MONTHLY WEATHER REVIEW for 1935:

REGULAR MONTHLY SECTIONS, 1935

[Page number]

Sections	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
BIBLIOGRAPHY	24	61	101	137	163	192	224	250	272	296	323	352
SOLAR RADIATION:												
Solar and sky radiation measurements	24	62	102	138	164	193	225	251	273	297	324	353
Positions and areas of sun spots	29	65	104	140	167	196	228	254	275	300	326	355
Provisional sun-spot relative numbers	29	65	105	141	168	196	228	254	276	301	326	357
AEROLOGICAL OBSERVATIONS	30	65	105	141	168	197	229	255	277	302	326	358
RIVERS AND FLOODS	31	67	107	143	170	198	231	256	278	303	328	361
WEATHER ON THE ATLANTIC AND PACIFIC OCEANS:												
North Atlantic Ocean	32	68	109	144	172	202	232	257	279	303	329	366
Ocean gales and storms (table)	34	69	111	145	173	203	233	258	281	304	330	367
North Pacific Ocean	35	70	112	146	174	204	233	259	282	305	331	368
Typhoons in Far East				146			234	260	282	306	332	368
CLIMATOLOGICAL TABLES: [1]												
Condensed climatological summary (by States)	38	72	115	148	175	205	235	261	284	307	333	369
Table 1 (United States stations)	39	73	116	150	176	206	236	262	285	308	334	370
Table 2 (Canadian stations)	42	76	119	153	179	209	240	265	288	311	337	373
Table—Severe local storms	42	77	120	154	180	210	241	266	288	311	338	374

[1] For a description of tables and charts see p. 37.

Charts I–VII appear in each number of the REVIEW, January to December, inclusive:

CHART I. Departure of the mean temperature from the normal.
II. Tracks of centers of anticyclones.
III. Tracks of centers of cyclones.
IV. Percentage of clear sky.
V. Total precipitation for the month.
VI. Isobars at sea level and isotherms at surface; prevailing winds.
VII. Wind roses for 28 selected stations based on hourly percentages for the month.
VIII. Total snowfall—appears during the season, January to April, and November and December.
IX, X, etc. Weather maps of the North Atlantic (selected days showing principal storm tracks).
Annual temperature departures for the United States, 1935. (December only.)
Annual precipitation departures for the United States, 1935. (December only.)
Paths of hurricanes and other tropical storms, 1935. (December only.)

58195—36

SUBJECT AND AUTHOR INDEX OF THE MONTHLY WEATHER REVIEW, 1935. VOL. 63

Aerology:
Mathematical theory of the graphical evaluation of meteorograph soundings by means of the Stüve (Lindenberg) adiabatic chart. (5 figs.) (L. P. Harrison.) 123–135.
Sounding-balloon observations at Omaha, Nebr., during the International Month, January 1934. (6 figs.) (J. C. Ballard.) 49–52.
Temperatures in the lower 5 kilometers of the troposphere above Rio de Janeiro. (1 fig.) (A. B. Serra and L. D. Barbosa.) 190–191.
Air-mass analysis:
Analysis of a warm "cold front". (A. H. Christensen.) 9.
Analysis of a warm-front-type occlusion. (9 figs.) (H. Wexler.) 213–221.
Routine daily preparation of atmospheric cross sections. (4 figs.) (H. C. Willett.) 4–5.
Alexander, William H. The distribution of thunderstorms in the United States, 1904–33. (13 charts.) 157–158.
Armstrong, Ellis L. Precipitation trends. (1 fig.) 99–100.
Atlantic Ocean:
Atlantic Ocean-Gulf of Mexico hurricane of October 30 to November 8, 1935. (W. E. Hurd.) 316–318.
Effect of, on temperatures in eastern United States as shown by temperature-wind roses. (5 figs.) (K. B. Clarke.) 88–91.

Baker, Richard F. Preliminary measurements of ultra-violet at Blue Hill Meteorological Observatory. (1 fig.) 221–222.
Ballard, John C. Sounding-balloon observations at Omaha, Nebr., during the International Month, January 1934. (6 figs.) 49–52.
Barometer. Lowest reading in the Florida Keys storm of September 2, 1935. (W. F. McDonald.) 295.
Blair, Thomas A. and **Topil, A. G.** Relation of seasonal temperatures in the Missouri and upper Mississippi valleys to antecedent pressure departures in other regions. (1 fig.) 159–161.
Blake, Dean. Mexican west coast cyclones. (2 figs.) 344–348.
Blue Hill Meteorological Observatory. Preliminary measurements of ultra-violet. (1 fig.) (R. F. Baker.) 221–222.
Bowie, Edward H. Relation of the extremes of normal daily temperature to the solstices. (2 charts.) 248–250.
Brazil. *See* Rio de Janeiro.
Brennan, J. F. Relation of May–July weather conditions in Jamaica to the Caribbean tropical disturbances of the following season. (1 fig.) 13–14.
Byers, Horace R. On the meteorological history of the hurricane of November 1935. (3 figs.) 318–322.

California:
Floods in the Sacramento Valley during April 1935. (E. H. Fletcher.) 135–137.
Solar radiation at the Scripps Institution, 1928–34. (1 fig.) 92–93.
Calvert, Edgar B. The hurricane warning service and its reorganization. 85–88.
Caribbean Sea:
Hurricane of October 19–26, 1935. (W. F. McDonald.) 294–295.
Relation of May–July weather conditions in Jamaica to the Caribbean tropical disturbances of the following season. (1 fig.) (J. F. Brennan.) 13–14.
Sea-surface temperature summary for 1912–33. (G. Slocum.) 174.
Carter, Harry G.
Climatic trend in the Pacific Northwest. (4 figs.) 19–24.
January 1935 abnormally foggy at Boise, Idaho. *Note.* 59.
Weather of June as indicating the weather of the following May in Idaho. *Note.* 101.
Weather of one season as an indication of the weather of the following season, or seasons, at Boise, Idaho. *Note.* 59.
Chambers, Marshall J. Drought of 1933–34 in New Mexico. 14–15.
Christensen, Arthur H. Analysis of a warm "cold-front". 9.
Church, Phil E. The temperatures of New England. (4 figs.) 93–98.
Clarke, Katherine B. Effect of the Atlantic Ocean on temperatures in eastern United States as shown by temperature-wind roses. (5 figs.) 88–91.
Climatic trends. In the Pacific Northwest. (4 figs.) (H. G. Carter.) 19–24.
Cloud photography. At the Manila Observatory, P. I. (C. E. Deppermann, S. J.) 191–192.
Cold front. Analysis of a warm "cold-front". (A. H. Christensen.) 9.
Cooperative Observers. Our veteran cooperative observers. (6 figs.) (J. B. Kincer.) 313–315.
Correlation:
Correlation-periodogram investigation of rainfall on the western coast of the United States. (3 figs.) (E. J. Prouse.) 245–248.
Relation of May-July weather conditions in Jamaica to the Carribean tropical disturbances of the following season. (1 fig.) (J. F. Brennan.) 13–14.
Relation of seasonal temperatures in the Missouri and upper Mississippi Valleys to antecedent pressure departures in other regions. (1 fig.) (T. A. Blair and A. G. Topil.) 159–161.
Relation of tropical cyclone frequency to summer pressures and ocean surface-water temperatures. (C. L. Ray.) 10–12.
Weather of June as indicating the weather of the following May in Idaho. *Note.* (H. G. Carter.) 101.
Weather of one season an indication of the weather of the following season, or seasons, at Boise, Idaho. *Note.* (H. G. Carter.) 59.
Cuba. West Indian hurricane, September 23 to October 2, 1935. (W. F. McDonald.) 271–272.
Currie, B. W. Ice crystals and halo phenomena. (2 figs.) 57–58.
Cyclones and anticyclones:
Height of tropical cyclones and of the "eye" of the storm. (2 figs.) (B. Haurwitz.) 45–49.
Meteorological conditions preceding thunderstorms on the national forests: 2.—The Blue Mountains of Washington and Oregon. (8 figs.) (W. R. Stevens.) 183–184.
Mexican west coast cyclones. (2 figs.) (D. Blake.) 344–348.

Danzig meetings, August 1935. International Climatological Commission and the Commission on Agricultural Meteorology. (J. B. Kincer.) 342–344.
Deppermann, C. E., S. J. Cloud photography at the Manila Observatory. 191–192.
Droughts: (*See also* Dust storms.) Drought of 1933–34 in New Mexico. (M. J. Chambers.) 14–15.
Dust storms:
November 1933–May 1934. (2 figs.) (W. A. Mattice.) 53–55.
June 1934–March 1935. (W. A. Mattice.) 113–115.
March 1935. (2 figs.) (W. A. Mattice.) 113–115.
April 1935. (2 figs.) (W. A. Mattice.) 148.
May 1935. (W. A. Mattice.) 175.

Excessive precipitation:
Floods in the Sacramento Valley, Calif., during April 1935. (E. H. Fletcher.) 135–137.
In the State of Washington, January 1935. (L. C. Fisher.) 158.
"Eye" of the storm. Height of, in tropical cyclones. (2 figs.) (B. Haurwitz.) 45–49.

Fireball. The Pennsylvania fireball of February 27, 1935. (2 figs.) (C. P. Olivier.) 158–159.
Fisher, Lawrence C. Floods, earth and snow slides, and an ice storm from unprecedented precipitation in the State of Washington, January 1935. 58.

Fletcher, Edgar H. Floods in the Sacramento Valley [Calif.] during April 1935. 135–137.
Floods:
In the Sacramento Valley, Calif., during April 1935. (E. H. Fletcher.) 135–137.
In the State of Washington, January 1935. (L. C. Fisher.) 58.
Flora, Snowden D. Excessive heat and the death rate in Kansas. *Note.* 16.
Florida Keys:
Hurricane of August 31 to September 6, 1935. (W. F. McDonald.) 269–271.
Lowest barometer reading in the storm of September 2, 1935. (W. F. McDonald.) 295.
Fogs. January 1935 abnormally foggy at Boise, Idaho. *Note.* (H. G. Carter.) 59.
Forecasting: (*See also* Correlation; Long-range weather forecasting.)
From barometric characteristics. (1 fig.) (A. B. Serra.) 222–223.
The hurricane warning service and its reorganization. (E. B. Calvert.) 85–88.
Forest fires. Meteorological conditions preceding thunderstorms on the national forests: 2.—The Blue Mountains of Washington and Oregon. (8 figs.) (W. R. Stevens.) 183–184.
Forest-fire weather. Unusual thunderstorm activity in the mountains of Oregon and Washington. *Note.* (W. G. Morris). 348–349.
Fulks, Joe R. Rate of precipitation from adiabatically-ascending air. (1 fig.) (Comments by E. W. Woolard.) 291–294.

Garlands. *See* Snow garlands.
Germany. *See* Danzig meetings.
Gray, Leslie G. A useful hygrometric calculating device. (1 fig.) 16–17.
Gregg, Willis Ray. Progress in international meteorology. 339–342.

Halos. Ice crystals and halo phenomena. (2 figs.) (B. W. Currie.) 57–58.
Hand, Irving F. [Description of location, geographical coordinates, altitude, and instruments at pyrheliometric stations in the United States.] 24–25.
Harding, G. E. Meteorology and climatology in a teachers college. 5–8.
Harrison, Louis P. Mathematical theory of the graphical evaluation of meteorograph soundings by means of the Stüve (Lindenberg) adiabatic chart. (5 figs.) 123–135.
Haurwitz, Bernhard. The height of tropical cyclones and of the "eye" of the storm. (2 figs.) 45–49.
Hawaiian Islands. Studies of rainfall of. (4 figs.) (W. T. Nakamura.) 188–189.
Heat. Excessive heat and the death rate in Kansas. *Note.* (S. D. Flora.) 16.
Henney, Homer J. Estimation of future wheat production from rainfall. (1 fig.) 185–187.
Humphreys, William J.
Snow garlands. (1 fig.) 162.
Snow garlands on tree limbs. (2 figs.) 315.
Hurd, Willis E.
Atlantic-Gulf of Mexico hurricane of October 30 to November 8, 1935. 316–318.
Tropical storms in the North Atlantic during 1935. (1 chart.) 351.
Hurricanes:
Atlantic-Gulf of Mexico hurricane of October 30 to November 8, 1935. (W. E. Hurd.) 316–318.
Height of tropical storms and of the "eye" of the storm. (2 figs.) (B. Haurwitz.) 45–49.
Hurricane of August 31 to September 6, 1935. (W. F. McDonald.) 269–271.
Hurricane of October 19–26, 1935. (W. F. McDonald.) 294–295.
On the meteorological history of the hurricane of November 1935. (3 figs.) (H. R. Byers.) 318–322.
Relation of May-July weather conditions in Jamaica to the Caribbean tropical disturbances of the following season. (1 fig.) (J. F. Brennan.) 13–14.
Relation of tropical cyclone frequency to summer pressures and ocean surface-water temperatures. (C. L. Ray.) 10–12.
Hurricanes—Continued.
Tropical disturbance of August 18–25, 1935. (W. F. McDonald.) 271–272.
Tropical storms in the North Atlantic during 1935. (1 chart.) (W. E. Hurd.) 351.
West Indian hurricane of September 23 to October 2, 1935. (W. F. McDonald.) 271–272.
Hurricane warning service [U. S. Weather Bureau]. And its reorganization. (E. B. Calvert.) 85–88.
Hygrometric measurements. A useful hygrometric calculating device. (1 fig.) (L. G. Gray.) 16–17.

Ice crystals. And halo phenomena. (2 figs.) (B. W. Currie.) 57–58.
Ice storm. In Washington (State), January 1935. (L. C. Fisher.) 58.
Idaho:
January 1935 abnormally foggy at Boise. *Note.* (H. G. Carter.) 59.
Weather of June as indicating the weather of the following May in Idaho. *Note.* (H. G. Carter.) 101.
Weather of one season as an indication of the weather of the following season, or seasons, at Boise. *Note.* (H. G. Carter.) 59.
Indiana. An old weather diary in northeastern Indiana. *Note.* (B. B. Whittier.) 224.
International Climatological Commission and the Commission on Agricultural Meteorology. At Danzig, August 1935. (J. B. Kincer.) 342–344.
Iowa. Analyses of rains and snows at Mount Vernon, 1934–35 (W. A. Krehl and N. Knight.) 162–163.

Jamaica, B. W. I. Relation of May-July weather conditions in Jamaica to the Caribbean tropical disturbances of the following season. (1 fig.) (J. F. Brennan.) 13–14.
Jones, Foster V. Effect of local smoke on the climate of Nashville, Tenn. (1 fig.) 55–57.

Kansas. Excessive heat and the death rate in. *Note.* (S. D. Flora.) 16.
Kimball, Herbert H. Intensity of solar radiation at the surface of the earth, and its variations with latitude, altitude, season, and time of the day. (3 figs.) 1–4.
Kincer, Joseph B.
The Danzig meetings of the International Climatological Commission and the Commission on Agricultural Meteorology. 342–344.
Our veteran cooperative observers. (6 figs.) 313–315.
Knight, Nicholas. Co-author. See Krehl and Knight.
Krehl, Willard A. and **Knight, Nicholas.** Analyses of rains and snows at Mount Vernon, Iowa, 1934–35. 162–163.

Lackey, Earl E. Rainfall maps for Nebraska. (6 figs.) 79–85.
Landslides. In Washington [State], January 1935. (L. C. Fisher.) 58.
Long-range weather forecasting. (*See also* Correlation.)
Correlation-periodogram investigation of rainfall on the western coast of the United States. (3 figs.) (E. J. Prouse.) 245–248.
Precipitation trends. (1 fig.) (E. L. Armstrong.) 99–100.
Relation of May-July weather conditions in Jamaica to the Caribbean tropical disturbances of the following season. (1 fig.) (J. F. Brennan.) 13–14.
Relation of seasonal temperatures in the Missouri and upper Mississippi valleys to antecedent pressure departures in other regions. (1 fig.) (T. A. Blair and A. G. Topil.) 159–161.
Relation of tropical cyclone frequency to summer pressures and ocean surface-water temperatures. (C. L. Ray.) 10–12.
Weather of June as indicating the weather of the following May in Idaho. *Note.* (H. G. Carter.) 101.
Weather of one season as an indication of the weather of the following season or seasons, at Boise, Idaho. *Note.* (H. G. Carter.) 59.

McDonald, Willard F.
Caribbean hurricane of October 19–26, 1935. 294–295.
Hurricane of August 31 to September 6, 1935. 269–271.
Lowest barometric reading in the Florida Keys storm of September 2, 1935. 295.
Tropical disturbance of August 18–25, 1935. 250.
West Indian hurricane, September 23 to October 2, 1935. 271–272.

Manila Observatory. Cloud photography at. (C. E. Deppermann, S. J.) 191–192.
Maps. *See* Weather maps.
Martin, Robert J.
Preliminary report on tornadoes in the United States in 1935. 349.
Weather of 1935 in the United States. (2 tables and 2 charts.) 349–351.
Mattice, William A.
Dust storms (November 1933 to May 1934). (3 figs.) 53–55.
Dust storms (June 1934–March 1935). 113–115.
Dust storms (March 1935). (2 figs.) 113–115.
Dust storms (April 1935). (2 figs.) 148.
Dust storms (May 1936). 175.
Meteorological Office—"The Observer's Handbook." London 1934. *Review.* 25.
Meteorology:
In general:
Mathematical theory of the graphical evaluation of meteorograph soundings by means of the Stüve (Lindenberg) adiabatic chart. (5 figs.) (L. P. Harrison.) 123–135.
Instruction in meteorology:
Meteorology and climatology in a teachers college. (G. E. Harding.) 5–8.
International meteorology:
Danzig meetings of the International Climatological Commission and the Commission on Agricultural Meteorology. (J. B. Kincer.) 342–344.
Progress in international meteorology. (W. R. Gregg.) 339–342.
Research meteorology:
Some problems of modern meteorology [brief review of a series of articles appearing in the Journal of the Royal Meteorological Society]. 60–61.
Meteorograph. Mathematical theory of the graphical evaluation of meteorograph soundings by means of the Stüve (Lindenberg) adiabatic chart. (5 figs.) (L. P. Harrison.) 123–135.
Meteors. The Pennsylvania fire ball of February 27, 1935. (2 figs.) (C. P. Olivier.) 158–159.
Mexico. West coast cyclones. (2 figs.) (D. Blake,) 344–348.
Mexico, Gulf of:
Atlantic—Gulf of Mexico hurricane of October 30 to November 8, 1935. (W. E. Hurd.) 316–318.
Sea-surface temperature summary for the east-central Gulf of Mexico, 1912–1933. (G. Slocum.) 71.
Sea-surface temperature summary for the north-central Gulf of Mexico, 1912–33. (G. Slocum.) 174.
Sea-surface temperature summary for the northwest Gulf of Mexico, 1912–33. (G. Slocum.) 147–148.
Sea-surface temperature summary for the southwest Gulf of Mexico, 1912–33. (G. Slocum.) 204.
Middleton, W. E. Knowles. The principles underlying the choice of visibility marks. 17–19.
Mississippi Valley. Relation of seasonal temperatures in the upper Mississippi Valley to antecedent pressure departures in other regions. (1 fig.) (T. A. Blair and A. G. Topil.) 159–161.
Missouri Valley. Relation of seasonal temperatures in, to antecedent pressure departures in other regions. (1 fig.) (T. A. Blair and A. G. Topil.) 159–161.
Morris, William G. Unusual thunderstorm activity in the mountains of Oregon and Washington. *Note.* 348–349.
Mortality. Excessive heat and the death rate in Kansas. *Note.* (S. D. Flora.) 16.

Nakamura, Winters T. Studies of Hawaiian rainfall. (4 figs.) 188–189.
Nebraska:
Rainfall maps for Nebraska. (6 figs.) (E. E. Lackey.) 72–85.
Sounding-balloon observations at Omaha during the International Month, January 1934. (6 figs.) (J. C. Ballard.) 49–52.
New England. Temperatures of. (4 figs.) (P. E. Church.) 93–98.
North Atlantic Ocean. Tropical storms in, during 1935. (1 chart.) (W. E. Hurd.) 351.

Observers. *See* Cooperative observers.
Occlusion. Analysis of a warm-front-type occlusion. (9 figs.) (H. Wexler.) 213–221.
Olivier, Charles P. The Pennsylvania fireball of February 27, 1935. (2 figs.) 158–159.
Oregon:
Meteorological conditions preceding thunderstorms on the national forests: 2.—The Blue Mountains of Washington and Oregon. (8 figs.) (W. R. Stevens.) 183–184.
Unusual thunderstorm activity in the mountains of. *Note.* (W. G. Morris.) 348–349.

Pacific coast. Correlation-periodogram investigation of rainfall on the western coast of the United States. (3 figs.) (E. J. Prouse.) 245–248.
Pacific Northwest. Climatic trend in. (4 figs.) (H. G. Carter.) 19–24.
Pennsylvania. The fireball of February 27, 1935. (2 figs.) (C. P. Olivier.) 157–158.
Periodogram. Correlation-periodogram investigation of rainfall on the western coast of the United States. (3 figs.) (E. J. Prouse.) 245–248.
Philippine Islands. Cloud photography at the Manila Observatory. (C. E. Deppermann, S. J.) 191–192.
Photography. *See* Cloud photography.
Precipitation:
Analyses of rains and snows at Mount Vernon, Iowa, 1934–35. (W. A. Krehl and N. Knight.) 162–163.
Climatic trend in the Pacific Northwest. (4 figs.) (H. G. Carter.) 19–24.
Correlation-periodogram investigation on the western coast of the United States. (3 figs.) (E. J. Prouse.) 245–248.
Drought of 1933–34 in New Mexico. (M. J. Chambers.) 14–15.
Estimation of future wheat production from rainfall. (1 fig.) (H. J. Henney.) 185–187.
Floods, earth and snow slides, and an ice storm from unprecedented precipitation in the State of Washington, January 1935. (L. C. Fisher.) 58.
Precipitation trends. (1 fig.) (E. L. Armstrong.) 99–100.
Rainfall maps for Nebraska. (6 figs.) (E. E. Lackey.) 79–85.
Rate of precipitation from adiabatically-ascending air. (1 fig.) (J. R. Fulks.) (Comments by E. W. Woolard.) 291–294.
Studies of Hawaiian rainfall. (4 figs.) (W. T. Nakamura.) 188–189.
Weather of June as indicating the weather of the following May in Idaho. *Note.* (H. G. Carter.) 101.
Weather of one season as an indication of the weather of the following season, or seasons, at Boise, Idaho. *Note.* (H. G. Carter.) 59.
Weather in the United States in 1935. (2 tables and 2 charts.) (R. J. Martin.) 349–351.

Pressure:
Forecasting from barometric characteristics. (1 fig.) (A. B. Serra.) 222–223.
Lowest barometer reading in the Florida Keys storm of September 2, 1935. (W. F. McDonald.) 295.
Relation of seasonal temperatures in the Missouri and Mississippi valleys to antecedent pressure departures in other regions. (1 fig.) (T. A. Blair and A. G. Topil.) 159–161.
Relation of tropical cyclone frequency to summer pressures and ocean surface-water temperatures. (C. L. Ray.) 10–12.
Prouse, Ervin J. Correlation-periodogram investigation of rainfall on the western coast of the United States. (3 figs.) 245–248.

Pyrheliometric stations in United States. [Location, geographical coordinates, altitude, and instrumental equipment of] (I. F. Hand.) 24–25.

Rainfall: (*See also* Precipitation.)
Analyses of, at Mount Vernon, Iowa, 1934–35. (W. A. Krehl and N. Knight.) 162–163.
Correlation-periodogram investigation of rainfall on the western coast of the United States. (3 figs.) (E. J. Prouse.) 245–248.
Rainfall maps for Nebraska. (6 figs.) (E. E. Lackey.) 79–85.
Ray, Clifton L. Relation of tropical cyclone frequency to summer pressures and ocean surface-water temperatures. 10–12.
Relative humidity. A useful hygrometric calculating device. (1 fig.) (L. G. Gray.) 16–17.
Richardson, Burt. Solar radiation at the Scripps Institution, La Jolla, Calif., 1928–34. (1 fig.) 92–93.
Rio de Janeiro. Temperatures of the lower 5 kilometers of the troposphere. (1 fig.) (A. B. Serra and L. D. Barbosa.) 190–191.

Scripps Institution of Oceanography. Solar radiation at, 1928–34. (1 fig.) (B. Richardson.) 92–93.
Sea-surface temperatures. *See* Water-surface temperatures.
Serra, Adalberto B. Forecasting from barometric characteristics. (1 fig.) 222–223.
Serra, Adalberto B. and **Barbosa, Lauro D.** Temperatures in the lower 5 kilometers of the troposphere above Rio de Janeiro. (1 fig.) 190–191.
Slocum, Giles.
Sea-surface temperature summary for the Caribbean Sea, 1920–33. 113.
Sea-surface temperature summary for the east-central Gulf of Mexico, 1912–33. 71.
Sea-surface temperature summary for the northwest Gulf of Mexico, 1912–33. 147–148.
Sea-surface temperature summary for the north-central Gulf of Mexico, 1912–33. 174.
Sea-surface temperature summary for the southwest Gulf of Mexico, 1912–33. 204.
Smoke. Effect of local smoke on the climate of Nashville, Tenn. (1 fig.) (F. V. Jones.) 55–57.
Snow, Analyses of, at Mount Vernon, Iowa, 1934–35. (W. A. Krehl and N. Knight.) 162–163.
Snow garlands:
Snow garlands. (1 fig.) (W. J. Humphreys.) 162.
Snow garlands on tree limbs. (2 figs.) (W. J. Humphreys.) 315.
Snowslides. In the State of Washington, January 1935. (L. C. Fisher.) 58.
Solar radiation:
At the Scripps Institution, La Jolla, Calif., 1928–34. (1 fig.) (B. Richardson.) 92–93.
Intensity of, at the surface of the earth, and its variations with latitude, altitude, season, and time of the day. (3 figs.) (H. H. Kimball.) 1–4.
Preliminary measurements of ultra-violet at Blue Hill Meteorological Observatory. (1 fig.) (R. F. Baker.) 221–222.
Solstices. Relation of the extremes of normal daily temperature to. (2 figs.) (E. H. Bowie.) 248–250.
Sounding balloons. Sounding-balloon observations at Omaha, Nebr., during the International Month, January 1934. (6 figs.) (J. C. Ballard.) 49–52.
Stevens, Welby R. Meteorological conditions preceding thunderstorms on the national forests: 2—The Blue Mountains of Washington and Oregon. (8 figs.) 183–184.
Storm damage: (*See also* Dust storms.)
Atlantic-Gulf of Mexico hurricane of October 30 to November 8, 1935. (W. E. Hurd.) 316–318.
Caribbean hurricane of October 19–26, 1935. (W. F. McDonald.) 294–295.
Floods in the Sacramento Valley, Calif., during April 1935. (E. H. Fletcher.) 135–137.
Hurricane of August 31 to September 6, 1935. (W. F. McDonald.) 269–271.
Preliminary report on tornadoes in the United States in 1935. (R. J. Martin.) 349.
West Indian hurricane, September 23 to October 2, 1935. (W. F. McDonald.) 271–272.
Stüve adiabatic chart. Mathematical theory of the graphical evaluation of meteorograph soundings by means of the Stüve (Lindenberg) adiabatic chart. (5 figs.) (L. P. Harrison.) 123–135.

Temperature:
Climatic trend in the Pacific Northwest. (4 figs.) (H. G. Carter.) 19–24.
Effect of the Atlantic Ocean on temperatures in the eastern United States as shown by temperature-wind roses. (5 figs.) (K. B. Clarke.) 88–91.
Relation of seasonal temperatures in the Missouri and upper Mississippi valleys to antecedent pressure departures in other regions. (1 fig.) (T. A. Blair and A. G. Topil.) 159–161.
Relation of the extremes of normal daily temperature to the solstices. (2 figs.) (E. H. Bowie.) 248–250.
Temperatures of New England. (4 figs.) (P. E. Church.) 93–98.
Weather in the United States in 1935. (2 tables and 2 charts.) (R. J. Martin.) 349–351.
Weather of June as indicating the weather of the following May in Idaho. *Note.* (H. G. Carter.) 101.
Weather of one season as an indication of the weather of the following season, or seasons, at Boise, Idaho. *Note.* (H. G. Carter.) 59.
Tennessee. Effect of local smoke on the climate of Nashville. (1 fig.) (F. V. Jones.) 55–57.
Thunderstorms:
Distribution of, in the United States, 1904–33. (13 charts.) (W. H. Alexander.) 157–158.
Meteorological conditions preceding thunderstorms on the national forests: 2—The Blue Mountains of Washington and Oregon. (8 figs.) (W. R. Stevens.) 183–184.
Unusual thunderstorm activity in the mountains of Oregon and Washington. *Note.* (W. G. Morris.) 348–349.
Topil, A. G. Co-author. *See* Blair and Topil.
Tornadoes. Preliminary report on, in the United States in 1935. (R. J. Martin.) 349.
Tropical storms. *See* Hurricanes.
Troposphere. Temperatures in the lower 5 kilometers above Rio de Janeiro. (1 fig.) (A. B. Serra and L. D. Barbosa.) 190–191.

Ultra-violet. Preliminary measurements of, at Blue Hill Meteorological Observatory. (R. F. Baker.) 221–222.
United States:
Climatic trend in the Pacific Northwest. (4 figs.) (H. G. Carter.) 19–24.
Correlation-periodogram investigation of the rainfall on the western coast of the United States. (3 figs.) (E. J. Prouse.) 245–248.
Distribution of thunderstorms in, 1904–33. (13 charts.) (W. H. Alexander.) 157–158.
Effect of the Atlantic Ocean on temperatures in the eastern United States, as shown by temperature-wind roses. (5 figs.) (K. B. Clarke.) 88–91.
Hurricane warning service [of U. S. Weather Bureau] and its reorganization. (E. B. Calvert.) 85–88.
Preliminary report on tornadoes in, in 1935. (R. J. Martin.) 349.
Weather of 1935 in. (2 tables and 2 sharts.) (R. J. Martin.) 349–351.

Visibility. The principles underlying the choice of visibility marks. (W. E. K. Middleton.) 17–19.

Warm front. *See* Air-mass analysis.
Washington (State):
Floods, earth and snow slides, and an ice storm from unprecedented precipitation, January 1935. (L. C. Fisher.) 58.
Meteorological conditions preceding thunderstorms on the national forests: 2—The Blue Mountains of Washington and Oregon. (8 figs.) (W. R. Stevens.) 183–184.
Unusual thunderstorm activity in the mountains of. *Note.* (W. G. Morris.) 348–349.

Water-surface temperatures:
Relation of tropical cyclone frequency to summer pressures and ocean surface-water temperatures. (C. L. Ray.) 10–12.
Summary for the western Caribbean Sea, 1920–33. (G. Slocum.) 113.
Summary for the east-central Gulf of Mexico, 1912–33. (G. Slocum.) 71.
Summary for the north-central Gulf of Mexico, 1912–33. (G. Slocum.) 174.
Summary for the northwest Gulf of Mexico, 1912–33. (G. Slocum.) 147–148.
Summary for the southwest Gulf of Mexico, 1912–33. 204.
Weather and crops. Estimation of future wheat production from rainfall. (1 fig.) (H. J. Henney.) 185–187.
Weather Bureau cooperative observers. Our veteran cooperative observers. (6 figs.) (J. B. Kincer.) 313–315.
Weather correlation. *See* Correlation.
Weather diary. An old weather diary of northeastern Indiana. *Note.* (B. B. Whittier.) 224.
Weather forecasting. (*See also* Long-range weather forecasting.)
Routine daily preparation of atmospheric cross sections. (4 figs.) (H. C. Willett.) 4–5.
Weather in 1935 in the United States. (2 tables and 2 charts.) (R. J. Martin.) 349–351.
West Indies:
Hurricane of August 31 to September 6, 1935. (W. F. McDonald.) 269–271.
Hurricane, September 23 to October 2, 1935. (W. F. McDonald.) 271–272.
Wexler, H[arry]. Analysis of a warm-front-type occlusion. (9 figs.) 213–221.
Wheat. Estimation of future wheat production from rainfall. (1 fig.) (H. J. Henney.) 185–187.
Whittier, B[ernhard]. B. An old weather diary in northeastern Indiana. *Note.* 224.
Willett, Hurd C. Routine daily preparation of atmospheric cross sections. (4 figs.) 4–5.
Winds:
Forecasting from barometric characteristics. (1 fig.) (A. B. Serra.) 222–223.
Height of tropical cyclones and of the "eye" of the storm. (2 figs.) (B. Haurwitz.) 45–49.
Woolard, Edgar W. Comments on J. R. Fulks' "Rate of precipitation from adiabatically-ascending air." 292–294.

○